How to install LABEL driver

1. Double click the LABEL .img

2.Double click LABEL_V1.0_signed .pkg to install the driver.



3.Click "continue" button.

0	₩ 安装 "LABEL"
	欢迎使用"LABEL"安装器
入切	The driver files will be copied to the path: /Library/Printers/LABEL/
7/20	
日的示卷	
安装类型	
安装	
摘要	
	返回 继续

4.click "Install"



5.Use Touch ID or Enter your password.

•••	🥪 Install Ther	malPrinter Ver1.1		
 Introduc Destinat Installat 	Installer is trying t Touch ID or enter your	o install new softwar password to allow this.	e.	oftware
Installati		Use Password	Cancel	
• Summary		Ch	ange Install Lo	ocation
	Customize	[Go Back	Install

6.Click "Close" to finish.



7.Open "System Preferences", and click "Printers and Scanners".

	< > !!!		System P	references		Q Sea	arch
File New One General	Desktop & Screen Saver	osao Dock	Mission Control	Language & Region	Security & Privacy	Spotlight	Notifications
Displays	Energy Saver	Keyboard	Mouse	Trackpad	Printers & Scanners	Sound	Startup Disk
iCloud	(Q) Internet Accounts	Wallet & Apple Pay	App Store	Network	Bluetooth	Extensions	Sharing
Touch ID	Users & Groups	Parental Controls	Siri	Date & Time	Time Machine	Accessibility	
Flash Player	الله المعالم معالم المعالم معالم معالم معالم معالم معالم معالم معالم م						

8.click "+" to add a new printer.

	Printers & Scan	ners	Q Search
Printers 192.168.1.20 • Idle, Last Used 192.168.1.40 • Idle		192.168.1.20 Open Print Queue Options & Supplies	
	Location: Kind: Status: Share this printe	Generic PostScript Printe Idle r on the network	er Sharing Preferences
+ -			
	Default printer:	Last Printer Used 未命名	
	Boldan paper 5120.		

9.Turn on your printer, and choose "LABEL", select "Select Software" under "Use" drop down

menu.

	💻 🔍 G		
iult IP V	Vindows	Search	
Name		✓ Kind	
3D32 Microel	ectronics POS USB2.0 Printer	USB	
Name:	GD32 Microelectronics POS USB	2.0 Printer 2	
Name: Location:	GD32 Microelectronics POS USB	2.0 Printer 2	
Name: Location: Use:	GD32 Microelectronics POS USB EDI Generic PostScript Printer	2.0 Printer 2	
Name: Location: Use:	GD32 Microelectronics POS USB EDI Generic PostScript Printer The selected printer software isn't from you use all the features of your printer.	2.0 Printer 2	nay not let

10. Input"LABEL", and choose "LABEL"

00	000	Printer Software	
ault IP Windows			C
	LABEL		
Name			
GD32 Microelectronics	PC		
1			
Name: GD32 M	Vic	Cancel	ОК
Langton Little			

11.Click "Add"

\mathbf{O}	-		
S 🚳	<u>Q</u> G	4880 (h	1
efault IP V	Vindows	Search	
177		122.02	
Name		✓ Kind	
GD32 Microel	ectronics POS USB2.0 Printer	USB	
Name:	GD32 Microelectronics POS U	SB2.0 Printer 2	_
Name:	GD32 Microelectronics POS U	SB2.0 Printer 2	
Name: Location:	GD32 Microelectronics POS U	SB2.0 Printer 2	
Name: Location:	GD32 Microelectronics POS U EDI	SB2.0 Printer 2	
Name: Location: Use:	GD32 Microelectronics POS U EDI LABEL	SB2.0 Printer 2	
Name: Location: Use:	GD32 Microelectronics POS U EDI LABEL	SB2.0 Printer 2	
Name: Location: Use:	GD32 Microelectronics POS U EDI LABEL	SB2.0 Printer 2	
Name: Location: Use:	GD32 Microelectronics POS U EDI LABEL	SB2.0 Printer 2	

12.Use Touch ID or enter your password.

13.Finish.

	Printers & Scan	ners	Q Search
Printers GD32 Microelectronic		GD32 Microelectroni Printer 2	ics POS USB2.0
		Open Print Queue.	
	Location:	EDI	
	Status:	Idle	
	Share this printe	er on the network	Sharing Preferences
+ -	Default printer:	Last Printer Used	\$
	Default paper size:	A5	• ?

How to change the setting of the printer, and how to define

label size(Priview)

1. Open a PDF file(any docment file is ok), Select "File"-->"Print".



2. Choose "Manage Custom Sizes" under "Paper Size " drop down menu.

	Printer: OPrinter 1	hermalPrinter
PRIORITY MAK, U.S. POSTAGE PAD SHIPPO	Presets: Default Se	ttinas 🗘
all and a second s	2 x 4 (2.00	in x 4.00 in)
PRIORITY MAIL 1-DAY	Copies 4 x 4 (4.00) in x 4.00 in)
KEVIN WALTON Ship Date: 020117 UNIT 4420 Weight: 8 1801 S DECATUR BLVD Weight: 8 LAS VECAS NV 69114-6811 0006	Pages 4 x 6 (4.00) in x 6.00 in)
[772]	未命名	
TEST 1602 S DECATUR BLVD LAS VEGAS NV 89102-8810	Paper Size 🗸 Other	216 by 279 mm
	Orientation Manage Cu	ustom Sizes
USPS TRACKING # EP	Preview	
10000 1000 1000 1000 1000 1000 1000 10	🗸 Auto Rotate	Show Notes
	O Scale:	164%
$\langle \langle \langle \rangle$ 1 of 1 \rangle >>>	Scale to Fit:	• Print Entire Image
		Fill Entire Paper
	Copies per page:	1
? PDF 🔽 Hide Details		Cancel Pri

2.Click "+" to define a new label size, click "OK" to save.

	100*190	Paper Size:	100	190 mm	\$
D			Width	Height	0
		Non-Printable	Area:		-
PRIO KEVIN WALTON UNIT 14923		Printer There	malPrinter	\$	
1801 S DECATUR B LAS VEGAS NV 891			0 mm		
TECT		0 mm	Тор	0 mm	
1602 S C LAS VEC		Left	0 mm	Right	216 by 279 mr
			Bottom		
	+ - Duplicate				\$
9					0
	?		Cancel	ОК	
			-		
	1 of 1 >>>>	Darkness:	в 🗘		
		Horizontal Of	fset: 0mm	٥	
		Vertical Office	+. 0mm ^		
		vertical Offse			

3.You can select the new Label "100*190" now.

	Printer: OPrinter ThermalPrinter
	Presets: Default Settings
PRIORITY MAIL 1-DAY	Copies: 1
KUW WURTON Be-Date codent? VIEW WURTON Be-Date codent? VIEW WURTON Weget 18 VIEW WURTON Weget 18 LAS VIEWA WURTON 00006	Pages: • All
TEST 1902 S DECATUR BLVD 145 VERAS NU BRVD	Paper Size: 100*190 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
USPS TRACKING # EP	Orientation:
	Printer Features
e shippo	Feature Sets: Page Options ᅌ
	Print Speed: 4.00 in/sec ᅌ
A A A A A A A A A A A A A A A A A	Darkness: 8 ᅌ
	Horizontal Offset: 0mm ᅌ
	Vertical Offset: 0mm ᅌ
? PDF V Hide Details	Cancel Print

4. Select "Printer Features", then you can change the setting of printer, for example: Speed, Darkness..

	Printer: OPrinter ThermalPrinter
	Presets: Default Settings
	Copies: 1
KEWW WATCH SHe Daw 2001/17 Watch State 2001/17 Watch State 2001/17 Hot State 2001 Revol	Pages: O All
[C031]	Preview
TEST 1002 S DECATUR BLVD LAS VEGAS NV 89102-8810	Paper Size 10 by 190 mm
USPS TRACKING # EP	Orientation Paper Handling Cover Page
	✓ Printer Features
9205 5901 4491 7348 0078 38	Feature Sets: Page Options ᅌ
	Print Speed: 4.00 in/sec ᅌ
(< < 1 of 1 > >>	Darkness: 8 ᅌ
	Horizontal Offset: 0mm ᅌ
	Vertical Offset: 0mm
? PDF Y Hide Details	Cancel Print

5.Click "Print".